

MAY 28 2004



OFFICIAL

Legal Division  
Patents & Trademarks  
D377/AP6D-2

Abbott Laboratories  
100 Abbott Park Road  
Abbott Park, IL 60064-6050

Telephone: (847) 935-3325  
FAX: (847) 938-2623

FACSIMILE COVER SHEET

DATE: May 28, 2004

To: Commissioner  
United States Patent and Trademark Office

FROM: Kelly J. McCrystle  
Patents and Trademarks  
D-0377, AP6D-2  
Telephone: 650-474-3326  
Fax: 847-938-2623

PHONE NUMBER OF TELECOPY MACHINE: (703) 872-9306

TOTAL NUMBER OF PAGES (INCLUDING THIS COVER SHEET): 3

MESSAGE:

U.S. Application No.: 09/882,823

Filed: June 15, 2001

Title: BALLOON OCCLUSION DEVICE HAVING A PROXIMAL VALVE

Case No.: 6844USO1

Enclosed herewith for the patent application identified above is the following:

1. Response to Restriction Requirement (2 pages)

**THIS TRANSMISSION IS INTENDED ONLY FOR THE INDIVIDUAL(S) TO WHOM IT IS ADDRESSED.**

*It may contain confidential information, attorney work product, or other privileged material. If you are not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this transmission is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone at (847) 935-3325 and return the transmission to us at the address listed above.*

©Abbott Laboratories, 1991. All rights reserved. IF YOU DO NOT RECEIVE ALL PAGES AS INDICATED, PLEASE CALL (847) 935-3325

MAY 28 2004

**OFFICIAL**

Attorney Docket Number: 6844US01  
Filing Date: 6/15/2001

**PATENT****IN THE UNITED STATES PATENT & TRADEMARK OFFICE**

APPLICANT: Lynn D. Crawford, et al.

SERIAL No.: 09/882,823

FILED: June 15, 2001

FOR: BALLOON OCCLUSION DEVICE  
HAVING A PROXIMAL VALVE

ATTORNEY DOCKET NO.: 6844US01

Group Art No.: 3743

Examiner: Odland, Kathryn P

**RESPONSE TO RESTRICTION REQUIREMENT**

Commissioner for Patents  
P.O Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

In response to the Restriction Requirement of April 29, 2004, Applicant elects the claims which can be read on the Species 1, Figure 1, including: distal end subspecies A: Figures 2-2b, proximal end subspecies d: Figures 11-12, and valve subspecies cc: Figures 11-12 for further prosecution. These claims are as follows: 1-5,7, 9-13, 15-19.

Applicants traverse this election of species on the grounds that the restriction requirement failed to set forth particular reasons for holding that the inventions as claimed are either independent or distinct. (See MPEP 816). Furthermore, the restriction requirement referenced above does not indicate how examination of all claims would impose an undue burden during prosecution of the present application. Applicant believes that each of the species and subspecies identified in the restriction requirement are similar in function and design so that they

Attorney Docket Number: 6844US01  
Filing Date: 6/15/2001

can be searched simultaneously.

Therefore, Applicant believes that the restriction requirement is improper and respectfully requests that the restriction requirement be removed and the application including claims 1-20 be advanced to prosecution on the merits.

If any questions have been raised by submission of this paper, the Examiner is invited to contact Kelly J. McCrystle at (650) 474-3326.


**Deposit Account Authorization**

Authorization is hereby given to charge our Deposit Account No. 01-0025 for any charges that may be due or credit our account for any overpayment.

Respectfully submitted,

23492

ABBOTT LABORATORIES  
Telephone: (847) 938-5386  
Facsimile: (847) 938-2623  
Please direct all telephone inquiries to:  
Kelly J. McCrystle reg. no. 46,257  
(650) 474-3326

  
Kelly J. McCrystle  
Registration Number 46,257  
Attorney for Applicants  
5/28/2004